

ICC-ES Report

PMG-1247

ICC-ES | (800) 423-6587 | (562) 699-0543 | www.icc-es.org

Reissued 04/2017
This report is subject to renewal 04/2018

EVALUATION SUBJECT:

HYDROSTATIC GREASE SEPARATOR

DIVISION:

22 00 00—PLUMBING

SECTION:

22 13 16—SANITARY WASTE AND VENT PIPING

Report Holder:

GOSLYN, LP

1904 UNIVERSITY BUSIENSS DRIVE, SUITE 310
MCKINNEY, TX 75071



Look for the ICC-ES marks of Conformity!



ICC-ES PMG Product Certificate

PMG-1247

Effective Date: April 2017

This listing is subject to re-examination in one year.



www.icc-es-pmg.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

CSI: DIVISION: 22 00 00—PLUMBING
Section: 22 13 16—Sanitary Waste and Vent Piping

Product certification system:

The ICC-ES product certification system includes testing samples taken from the market or supplier's stock, or a combination of both, to verify compliance with applicable codes and standards. The system also involves factory inspections, and assessment and surveillance of the supplier's quality system.

Product: Hydrostatic Grease Separator

Listee: Goslyn, LP
1904 University Business Drive, Suite #310
McKinney TX 75071
www.goslyn.com

Compliance with the following codes:

2015, 2012 and 2009 *International Plumbing Code*® (IPC)
2015, 2012 and 2009 *Uniform Plumbing Code*® (UPC)*
2015, 2012 and 2009 *International Residential Code*® (IRC)
2010 and 2005 *National Plumbing Code Canada*® (NPC)**

**Uniform Plumbing Code* is a copyrighted publication of the International Association of Plumbing and Mechanical Officials

***National Plumbing Code Canada* is a copyrighted publication of the National Research Council Canada

Compliance with the following standard:

ASME A112.14.3-2000(R2014) Grease Interceptors
ASME A112.14.4-2001(R12) Grease Removal Device
PDI G101-2010, Testing and Rating procedure for Hydro Mechanical Grease Interceptors with appendix of installation and maintenance
CAN/CSA B481.1-2007(reaffirmed 2012) Testing and rating of grease interceptors using lard

Identification:

Goslyn Hydrostatic Grease Separator: The unit and the packaging must be permanently and legibly marked with the manufacturer's name or trademark, model number, "Inlet" and "outlet", ASME A112.14.3, ASME A112.14.4, product type by rating, efficiency at rated capacity, flow rate, grease capacity, and the ICC-ES PMG listing mark.

Installation:

The Goslyn Hydrostatic Grease Separator is to be installed in accordance with the manufacturer's instructions and the requirements of the IPC and UPC.

Models:

Goslyn Model(s); GOS20, GOS40, GOS60, GOS80, GOS80LP

Conditions of Listing:

1. The Goslyn Hydrostatic Grease Separator must be installed in accordance with the manufacturer's published installation instructions and the applicable code.
2. The Goslyn Hydrostatic Grease Separator is manufactured in Shanghai, China, under a quality control program with annual surveillance inspections by ICC-ES.

